



DUST AND BIOAEROSOL MANAGEMENT PLAN

DEVELOPMENT: **IPPC PERMIT APPLICATION FOR THE HOUSING OF 100,000 BROILERS**

CLIENT: **Cwmafan
Llanafan Fawr
Builth Wells
Powys
LD2 3PF**

CLIENT: **Mr Lyndon Jones**

**Roger Parry & Partners LLP Carmarthen
C/O The Estates Office, 20 Salop Road, Oswestry, Shropshire, SY11 2NU
Tel: 01691655334 Fax: 01691 657798
Email: gail@rogerparry.net**

*Also at: 11 Severn Street, Welshpool, Powys, SY21 7AG
Tel: 01938 554499 Fax: 01938 554462
email: welshpool@rogerparry.net*

*Also at: Hogstow Hall, Minsterley, Shrewsbury, SY5 0HZ
Tel: 01743 791336 Fax: 01743 792770
email: mail@rogerparry.net*

Hazard	Receptor	Pathway	Risk Management	Exposure	Consequence	Overall Risk
To Air						
Dust: Sources: Feed.	Neighbouring dwelling houses within 100m of installation Surrounding Land and Vegetation	Air	Feed delivered in sealed systems. Dust socks fitted to silo exhaust pipes. Closed system delivery of feed from silo to poultry house. Feed spills dealt with promptly. Feed milling in open environment	Dust could have the potential to reach nearby neighbours and surrounding land during certain weather conditions.	Nuisance – dust on surrounding vegetation, cars and clothing. Smothering and direct damage to nearby vegetation.	Not significant if carefully managed. All feed milling undertaken in a sealed building.
Bedding	Neighbouring dwelling houses within 100m of installation Surrounding Land and Vegetation	Air	Use of suitable bedding materials, not blown into poultry house.	Dust could have the potential to reach nearby neighbours and surrounding land during certain weather conditions.	Nuisance – dust on surrounding vegetation, cars and clothing. Smothering and direct damage to nearby vegetation.	Not significant if carefully managed.
Litter System	Neighbouring dwelling houses within 100m of installation Surrounding Land and Vegetation	Air	Belt removal of litter twice weekly into covered trailer. Aviary housing system within 5 years of granting of permit.	Dust could have the potential to reach nearby neighbours and surrounding land during certain weather conditions.	Nuisance – dust on surrounding vegetation, cars and clothing. Smothering and direct damage to nearby vegetation.	Not significant if carefully managed.
Ventilation	Neighbouring dwelling houses within 100m of installation Surrounding Land and Vegetation	Air	Use of roof extraction fans on all houses within the installation.	Dust could have the potential to reach nearby neighbours and surrounding land during certain weather conditions.	Nuisance – dust on surrounding vegetation, cars and clothing. Smothering and direct damage to nearby vegetation.	Not significant if carefully managed.

House Cleaning	Neighbouring dwelling houses within 100m of installation Surrounding Land and Vegetation	Air	Litter removed carefully during cleanout minimising dust. Full trailers sheeted before leaving installation.	Dust could have the potential to reach nearby neighbours and surrounding land during certain weather conditions.	Nuisance – dust on surrounding vegetation, cars and clothing. Smothering and direct damage to nearby vegetation.	Not significant if carefully managed.
Bird Numbers/Type	Neighbouring dwelling houses within 100m of installation Surrounding Land and Vegetation	Air	100,000 BROILERS in two sheds. Reduced time within poultry house reducing dust levels.	Dust could have the potential to reach nearby neighbours and surrounding land during certain weather conditions.	Nuisance – dust on surrounding vegetation, cars and clothing. Smothering and direct damage to nearby vegetation.	Not significant