



THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELATED DRAWINGS. ALL DIMENSIONS MUST BE CHECKED AND VERIFIED ON SITE BEFORE COMMENCING ANY WORK OR PRODUCING SHOP DRAWINGS. THE ORIGINATOR SHOULD BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY. THIS DRAWING IS COPYRIGHT AND REMAINS THE PROPERTY ROGER PARRY & PARTNERS.

All dirty water from wash down will be collected in an underground sealed tank. it will be tankered out as necessary and applied to the land in accordance with manure management plan.

The underground storage tank for dirty water will be constructed to meet the SSAFO regulations [Wales] 2010 Standards.

The clean water and foul systems will be kept separate, to ensure no pollution incident occurs to the environment.

Clean water from roof and clean surfaces to open and stone filled infiltration trenches and a piped system each side of the building. This is then discharged into a soakway. at wash down stage clean systems will be switched to underground dirty water tank.

DIRTY WATER CHANNEL AND TANK

Parking / turning area

Generator

210.7m

Proposed Broiler Unit

Approved Broiler Unit approved under application P/2081/0385

HIGH VELOCITY ROOF MOUNTED FANS

SOAKWAY

Rev	Description	Date	Dr by	App by
Original				



Residential - Agricultural - Commercial	
Job	Poultry unit at Drefor
Title	Drainage Plan
Location	Drefor Kerry Newtown Powys SY16 4PQ
Client	M & A Powell
Scales	1:500 @ A1
Drawing No.	RJC-MZ335-06
Drawn by	AZ
Date	23/01/2020

HOGSTOW HALL, MINSTERLEY  
SHREWSBURY, SHROPSHIRE, SY5 0HZ  
Tel: 01743 791336 Fax: 01743 792770  
email: mail@rogerparry.net  
Web address: www.rogerparry.net