

## **ODOUR MANAGEMENT PLAN**

DEVELOPMENT:	Erection of an 8,000 bird free range poul	try unit extension

Αt

LOCATION: Gwynfaes

Rhandirmwyn Llandovery

Carmarthenshire

**SA20 0NG** 

CLIENT: AS, S and ME Reah

## Roger Parry & Partners LLP Carmarthen C/O The Estates Office, 20 Salop Road, Oswestry, Shropshire, SY11 2NU Tel: 01691655334 Fax: 01691 657798

Email: gail@rogerparry.net

Also at:11 Severn Street, Welshpool, Powys, SY21 7AG
Tel: 01938 554499 Fax: 01938 554462
email: welshpool@rogerparry.net

Also at: Hogstow Hall, Minsterley, Shrewsbury, SY5 0HZ

Tel: 01743 791336 Fax: 01743 792770

email: mail@rogerparry.net

The following tables detail the likely sources of Odour from the Free Range Laying Unit Extension proposed at Gwynfaes by the Reah Family.

Actions and measures that will be taken to prevent where possible or minimise odour emissions at Gwynfaes

The site plan submitted as part of the planning application confirms all material storage areas and potential odour emission sources.

The plan is to be reviewed every year from the permit issue date, prior to any changes (major) being made to any operations, or following a complaint, or changes to any management plan the document is to be dated and signed and the area permitting officer notified.

The free range laying unit extension at Gwynfaes is to be based within a single poultry house, where the levels of odour would be at their highest concentration.

ODOUR RELATED ISSUES	POTENTIAL RISKS	ACTIONS TAKEN TO REDUCE THE ODOUR AND ODOUR RISKS ON FARM	COMPLETION DATE
FREE RANGE POULTRY UNIT EXTENSION 8,000 BIRDS 30,000 BIRDS ON FARM IN TOTAL	Odour Levels	Twice daily checks coinciding with bird inspections, normally between 07:00-10:00 hours and 16:00-19:00 hours.  Any abnormalities to be recorded and investigated.	As and when required
Manufacture and selection of Feed	Milling and mixing of compound feeds.  Use of poor quality and odorous ingredients.  Feeds which are unbalanced leading to increased excretion of ammonia.	No on site milling to take place.  Feed specifications are prepared by a Nutrition Specialist.  Feed is supplied only from UKASTA accredited feed mills, so that only approved raw materials are used.	In place
Feed Delivery and Storage	Spillage of feed during delivery and storage.  Creation of dust during feed delivery.	Feed delivery systems are sealed to minimise atmospheric dust.  Any spillage of feed around the bin is immediately swept up.	In place

	T		
		The condition of the feed bins is regularly checked and routine maintenance undertaken if required.  Feed deliveries are monitored to avoid dust and spills.	
Ventilation and Dust	Inadequate air movement in the house, leading to high humidity and wet litter.  Inadequate system design, causing poor dispersal of odours.  Extraction fans located close to sensitive receptors  Dust	Use of high velocity gable end extraction fans in the house to aid dispersion, checked prior to the cycle commencement by a qualified electrician who will provide 24 hour breakdown cover.  The ventilation system is regularly checked and adjusted to match the age and requirements of the flock.  The ventilation system is designed to efficiently remove moisture from the house.  Humidity recorded daily and maintained in the range of 55-65% keeping a balance of dry litter and avoiding dust production.	In Place

		Stock inspections carried out only by trained staff to avoid panicking birds therefore creating dust.  Dust levels if present controlled during clean out operations.	
Litter Management	Odours arising from wet litter	Controls on feed and ventilation (see above) help to maintain litter quality.  Additional controls include;  Use of nipple drinkers with drip cups to minimise spillage.  Daily checks of drinker height and pressures to avoid capping.  Insulated walls and ceilings to prevent condensation.  Concrete falls to prevent ingress of water.  Stocking levels at optimum to prevent overcrowding.	In Place

		Use of veterinarian bespoke health plan.	
Carcase Disposal	Inadequate storage of carcasses on site.	Carcasses placed into plastic sealed bags, store in sealed, shaded and vermin proof containers away from sensitive receptors.  Frequent collection of carcasses.	In Place
		Daily levels of mortalities recorded with abnormalities investigated.	
House Clean Out	Creation of dust associated with litter removal from houses.	Litter carefully placed into trailers at end of production cycle.	In Place
	Use of odorous products during cleaning.	Trailers sheeted before leaving fill position.	
		Only DEFRA approved and suitable products used. Chemicals containers triple washed at point of use.	
		Wash water sump levels monitored during washing and emptied as required to prevent overfill.	

Used Litter	Storage of used litter on site.  Transport of litter and landspreading.	Storage in sealed manure store.  Removal of litter at end of production cycle.  All trailers sheeted before leaving fill position. Put in a covered manure store.  Spread on land if nutrients are required. Contingency – sold to Anaerobic Digestion Plant.  Litter used on applicants controlled land.	In Place
Washing operations including vehicles	Loss of dirty water to land or watercourse	Use of specialist contractors for washing operations.  Bespoke terminal hygiene program followed, detailing quantities of water and chemical dilution rates.  Key staff monitoring washing operations ensuring effective drainage to dirty water tanks.  Dirty water tanks monitored during wash down to maintain freeboard.	In Place

		Vehicle washing at designated wash point.  All sediment traps and drained cleaned both before and after washing operations.	
Fugitive Emissions	Leaks to doors, bin pipes, feed bins, fuel and chemical storage.	Checks to feed storage and fuel pipes.  Fuel oil in approved bunded storage tanks.  Chemicals – only small amounts of footdip disinfectant held on site in secondary containment.	In Place
Dirty Water Management	Standing dirty water during the production cycle or at clean out.  Application of dirty water to land.	Working areas around houses are concreted and kept cleaning during production cycle.  At clean out dirty water from house together with lightly contaminated yard wash is directed to the storage tanks before removed off site and spread to land.	In Place
Abnormal Operations	Water leak/pipe failure	Water consumption monitored daily ensuring early detection, wet area – blanket covered with top up bedding material to prevent increased odour.	In Place

	Bird Health/Sickness	Veterinarian contacted (24 hour care) Litter covered with fresh top up bedding to minimise increased odour until bird health recovered.  Abnormal events documented, dated and signed, appropriate plans reviewed and updated to prevent re occurrence.	
Waste Production/Storage	Odour from production or storage areas.	No storage or production of odorous waste on site.	In Place
		Waste management plan in force detailing types and quantities produced along with disposal routes. Records to be kept on site.	
		Cleaning Chemicals Supplied and used by cleaning contractor not stored on site.	

## ODOUR COMPLAINT FORM GWYNFAES POULTRY UNIT EXTENSION

## REFERENCE NUMBER DATE RECEIVED

Name and address of the caller	
Telephone number	
Location of caller to installation	
Location of Caller to Installation	
Time and date of complaint of offending odour	

Has the caller any other comments about the odour?	
Other comments from caller	
Weather conditions	
Wind direction/speed	
Any previous complaints relating to this odour?	

Any other comments	
Other information	
Potential source of odour that could give rise to the complaint	
Operations being carried out at time of complaint	
Follow up date and time caller contacted	

Action Taken	
Amendments required to the plan	
Occupated a LD	
Completed By	
Dated	
<del> </del>	

Signed