



The underground storage tank for dirty water will be constructed to meet the SSAFO Regulations (Wales) 2010 Standards.

Clean water from roof and clean surfaces to open and stone filled infiltration trenches and a piped system each side of the building. This is then discharged into a soakaway. At the wash down stage clean water systems around the yard will be switched to the underground dirty water tank. Shown blue on the plan.

The clean water and foul water systems will be kept separate, to ensure no pollution incident occurs to the environment.

All dirty water from wash down will be collected in an underground sealed tank. This will be then tankered out as necessary and applied to the land in accordance with the Manure Management Plan. Shown red on the plan.



Ordnance Survey © Crown Copyright 2018. All rights reserved. Licence number 100020449. Printed scale: 1:1250



www.rogerparry.net
 mail@rogerparry.net
Tel: 01691 655334
 Fax: 01691 657798

Roger Parry & Partners LLP
 The Property Experts

Based on Ordnance Survey with the permission of the Controller of HMSO
 © Crown Copyright Licence No. 100020449

JOB:	Proposed Free Range Poultry Unit
CLIENT:	Mr Thomas Teifi Jenkins
TITLE:	Site Plan
LOCATION:	Ty Hen Farm, Beulah, Newcastle Emlyn, SA38 9QE
SCALE:	1:1250
DATE:	Jul-18
DRAWING NO:	Ty Hen DP
DRAWN BY:	ND