



THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELATED DRAWINGS. ALL DIMENSIONS MUST BE CHECKED AND VERIFIED ON SITE BEFORE COMMENCING ANY WORK OR PRODUCING SHOP DRAWINGS. THE ORIGINATOR SHOULD BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY. THIS DRAWING IS COPYRIGHT AND REMAINS THE PROPERTY ROGER PARRY & PARTNERS.

 Dirty water from wash down will be collected in an underground sealed tank, which will be constructed to meet the SSAFO Regulations (Wales) 2010 Standards. This will then be tankered out and spread on the applicants land in accordance with the manure management plan.

 Clean water from roof and clean surfaces to open and stone filled infiltration trenches and a piped system each side of building. This is then discharged to the balancing pool and then to watercourse with use of a hydro break flow control produced by Hydro International. At the wash down stage the clean water system around the yard will be switched to the underground dirty water tank.

The clean and foul water drainage systems will be kept separate in order to ensure no pollution incident occurs to the environment.

Rev	Description	Date	Dr by	App by
Original				



Residential - Agricultural - Commercial	
Job	Proposed Poultry Units
Title	Drainage Plan
Location	Upper Maenllwyd Farm Kerry Newtown Powys SY16 4NB
Client	Gwyn Jones & Partners
Scales	1:1250 @ A3
Drawing No.	RB-MZ359-04
Drawn by	AZ
Date	25/01/2019

HOGSTOW HALL, MINSTERLEY  
SHREWSBURY, SHROPSHIRE. SY5 0HZ  
Tel: 01743 791336 Fax: 01743 792770  
email: mail@rogerparry.net  
Web address: www.rogerparry.net