



MANURE MANAGEMENT PLAN

DEVELOPMENT: Erection of a 16,000 Free Range Poultry unit, erection of feed silos, creation of vehicular access together with all other associated works

LOCATION: Braich yr Alarch
Clawddnewydd
Nr Ruthin
LL15 2NL

CLIENT: Braich yr Alarch Eggs

Roger Parry & Partners LLP
The Estates Office, 20 Salop Road, Oswestry, Shropshire, SY11 2NU
Tel: 01691655334 Fax: 01691 657798
Email: richard@rogerparry.net

*Also at: 1 Berriew Street, Welshpool, Powys, SY21 7SQ
Tel: 01938 554499 Fax: 01938 554462
email: welshpool@rogerparry.net*

*Also at: Hogstow Hall, Minsterley, Shrewsbury, SY5 0HZ
Tel: 01743 791336 Fax: 01743 792770
email: mail@rogerparry.net*

September 2021

MANURE MANAGEMENT PLAN

The manure management plan presented has been prepared to accompany the planning application of the farming business Braich yr Alarch Eggs for the erection of a 16,000 bird Poultry Unit.

The Water Code states that, to reduce leaching losses from manures, you should not apply more than 250kg per ha of total nitrogen in organic manures in any 12 months. However, these are guideline levels only and if a FACTS trained advisor can show that the crop requirements are higher the rates can be increased. The farm is not within a Nitrate Vulnerable Zone.

No manure will be spread upon the land at Braich yr Alarch. All manure is to be sold off farm (see Appendix 1).

The proposed development is an erection of a further 16,000 bird free range poultry unit at Braich yr Alarch. No stock is retained on farm.

Storage of Manure

All solid manure produced within the poultry unit will be removed every four days and sold directly off farm.

"Dirty" Yard Areas

The "dirty" yard areas on the farm will be kept to a minimum. This is due to the manure being contained in the poultry unit and removed every four days together with the hardcore area to the front of the poultry unit. Braich yr Alarch Eggs will require all areas to be clean outside the building as they will be producing food products within the unit.

The Braich yr Alarch proposal will incorporate the installation of a dirty water tank adjacent to the poultry unit. The waste water tank will be built in compliance with the SSAFO standards.

Contingency Plan

If manure should not be able to be exported, it can be stored in the manure store granted under planning permission 11/2019/0472/PF. Manure will be stored in accordance with SSAFO (Water Resources Act (Control of Pollution) (Silage Slurry and Agricultural Fuel Oil) (Wales) Regulations 2010).

All contaminated wash water will be stored in the dirty water tank upon farm.

Appendix 1

Bryn Eryr
Llanfihangel G.M
Conwen
Denbighshire
LL21 9UP

24/07/21

We are currently farming 400 acres and agree to purchase poultry manure from the 16,000 poultry unit at Branch yr March.

Manure will be collected weekly on site and used on our farm for agriculture benefit.

We will keep records of the fields the manure is applied to, dates collected and the volume.

Over the winter months the manure will be kept undercover in a manure store.

With thanks. Glyn M Roberts

Normans Farm Gas Power Ltd

HAZNORTRA FARM BURTON, NESTON, SOUTH WIRRAL. CH64 8TQ

OFFICE 0151-336-3611 NORMAN 07788987095

SIMON WILLIAMS 07939529060

Email: hazel.wyatt@outlook.com

WB & CE Jones
Braich yr Alarch
Clawddnewydd
LL15 2NL

30th July 2021

Dear Mr Jones

With regards to your recent email, we will be able to collect muck from your new unit at the above address.

We would require some notice as to when the muck will be ready for collection to enable us to organise our daily workload and if it cannot be helped at the last minute.

Yours sincerely

pp. 
Norman Wyatt